

10/568675

IAP20 Rec'd PGT/NO 17 FEB 2006

Application Data Sheet

APPLICATION INFORMATION

Application number::

Filing Date:: 02/17/2006

Application Type:: Regular

Subject Matter:: Utility Patent

CD-ROM or CD-R?:: None

Sequence submission?:: No

Computer Readable Form (CRF)?:: No

Title:: Corner Joint and Method of Producing a Joint of This Type

Attorney Docket Number:: 5797

Request for Early Publication?:: No

Request for Non-Publication?:: No

Suggested Drawing Figure:: 4

Total Drawing Sheets:: 5

Small Entity?:: No

Petition included?:: No

Licensed US Govt. Agency:: No

Secrecy Order in Parent Appl.?:: No

APPLICANT INFORMATION

Applicant Authority Type:: Inventor

Primary Citizenship Country:: Switzerland

Status:: Full Capacity

Given Name:: Jurg

Family Name:: Egli
City of Residence:: Kesswil
Country of Residence:: Switzerland
Street of mailing address:: Seewiese 3
City of mailing address:: Kesswil
Country of mailing address:: Switzerland
Postal or Zip Code of mailing address:: 8593
Applicant Authority Type:: Inventor
Primary Citizenship Country:: Austria
Status:: Full Capacity
Given Name:: Michael
Family Name:: Leitner
City of Residence:: Lauterach
Country of Residence:: Austria
Street of mailing address:: Buchenweg 14
City of mailing address:: Lauterach
Country of mailing address:: Austria
Postal or Zip Code of mailing address:: 6923

CORRESPONDENCE INFORMATION

Correspondence Customer Number:: 26936

REPRESENTATIVE INFORMATION

Representative Customer Number:: 26936

DOMESTIC PRIORITY INFORMATION

Application:: This application
Continuity Type:: National Stage
Parent Application:: PCT/EP04/09261
Parent Filing Date:: 08/14/2004

FOREIGN PRIORITY INFORMATION

Country:: Europe (EPC)
Application number:: 03405601.0
Filing Date:: 08/18/2003
Priority Claimed:: Yes

ASSIGNEE INFORMATION

Assignee name:: Forster Rohr und Profiltechnik AG
Street of mailing address:: Romanshorneerstrasse 6
City of mailing address:: Arbon
Country of mailing address:: Switzerland
Postal or Zip Code of mailing address:: 9320